

> '3Kw/B

R¥OÒ'Ýnam,PýKw? >PJ*9u(f03« 5'> '3/ ' 4 # \$ / 4 4 # \$« ©ls - & %n. 4< o

'3 •Kw/B 5^J*8ªC¾k=&¥"ÈYú_*[^•s,

•oY`kO_B•Ók='5&v0Zm,J*8ªC¾k=æ{Zñ9u(d€«d'PÈæ± RÍbšv o—</id"Ä&t'3 •Kw/B/á"ÈYú_*[^•- lôPý,&

> fÿ™ •s,

uæ&gYÿ> '3°n. 4<unn7'Ä/úTT, 8â

k=0V•Óm_B",(/á5?>A•`!D1\$TT, 8âPý« C"j~'³m,æ{—</i•L&t•m,L€†[o0ZPžæ{5^5?>ATT, 8âC(Pžª='³0ZPž

5?>A9iTT, 8âR¥(d o


uæ'3Yÿæb^°n. 4<&s> '3}ARb

B K /x °n. 4< unn71\$TT, 8â

—</i•L'3 •Kw/B&¥m,uæ&gYÿ•s•dN|(r o


C 5^Lyun=©&s> '31\$K /x}ARb

pÁ)Bm̄, „€m, 6H5UYûpÁ> '35^unn7m, ,pWu8...æ(9uSS
 L 5Ám, —" —<u(-`•s•dR?L "ÈYúEg1‡,&>™? F•/ú"È[•
 F••J o5 &•j•!Đk=B", (K)d'? "-→áC, KHz æ{—<OZTK
 K)d"3 •Kw/B&¥m, uæ&gYÿ•s•dN|(r o



> '3\αH '2-à


B L€†[m,}ARP“ TT1\$TT, 8â6 0?



规格 (mm)	接头位置	接头	材料	尺寸 (mm)	线材规格	附件
ø 10	AC输入	M20	铝	6.5	2x1.18 11	1.0 2.5

lαö;°n. 4<5^(°k=PŽJ>Rcm, TT, 8âÿêª=(°k= o03TOL '3[L¿(ØR?8Đm, >™? 'Ý


C Ly}Aun=©m, . •J>A&Đ



lαö;!ÿ? Ly}Aun=©m,}ARP'3[æ{—</i•L B&¥m, ••TT o

D æÖ- }ARP?o? L€†[

L€†[(°k=9u&t? }AWÇJ « sdk='5"i([kO"/"iæ{&ò03'Ä•s•dy1}a— (.0_(°k=, &> 0V•Óm,}ARP?o? o



$L < 100\text{m}$ $4\text{i} \text{€ Z ZM}' 1.5 \text{ mm}^2$
 $100\text{m} < L < 300\text{m}$: $4\text{i} \text{€ Z ZM}' 2.5 \text{ mm}^2$

#

H òBGiD f~H ò \$v" @H7 •ig!2Gi